

Regency Gloss

Many papers have benefits. But no other paper provides the total solution as well as the Regency range, which is why it is the “Printers’ Choice”, with an unrivalled package of efficiency, quality, consistency and environmental advantages. Together, these qualities make Regency an essential tool for winning new business and optimising profits. All Regency stock sheets are now Carbon Balanced at no extra cost.

Regency Gloss is the ultra-smooth, ultra-white, ultra-reliable paper that always adds extra definition and lift to images, even on delicate half-tone areas. The planet gets a little lift, too, when you use Regency Gloss – part of the FSC certified Regency family, which is produced at one of the world’s most environmentally advanced mills. So, it’s ultra-clean, too.

Product features and benefits:



Forest Stewardship Council® certified



10% recycled pre-consumer fibre



Manufactured to the international environmental standard, ISO 14001



Certified against the ISO 12647-2 colour management standard



Elemental Chlorine Free bleaching process



Pallets set at optimum heights to suit most in-feed systems



Delivered on flexi-pallets as standard, saving preparation time and money



Available in reels for CutStar applications



Available from UK Wharf stocks



Enhanced surface characteristics exhibiting low ink absorption



Quick setting performance

www.carbonbalancedpaper.com

Associated value based services:



Bulk packed only; the supply of customer specified quantities of paper, subject to agreement



Assured availability; an attainable service agreement ensuring key product lines will always be in stock



Profiles; a promotional supplement to showcasing commercial print

Associated qualities:

Regency Satin

Environmental statements:

When printing on Regency Gloss, you may wish to include a combination of the following environmental statements on your work. Regency Gloss :

- is Carbon Balanced Paper – where the carbon intensity has been measured through the production process and an equivalent carbon credit (offset) has been purchased
- contains material sourced from responsibly managed forests, **certified in accordance with the FSC (Forest Stewardship Council)***
- is made from 10% recovered fibre, diverting waste from landfill
- is manufactured under strict environmental management systems, the international ISO 14001 standard, EMAS (Eco-Management & Audit Scheme) and the IPPC (Integrated Pollution Prevention and Control) regulation

* Omit bold copy if your company or printer is not FSC certified

Product information continued overleaf...

FSC logo usage guidelines:

The FSC logo can be used on publications printed on Regency Gloss. Should your company or printer have certification to the standard, you should use FSC MIX logo from the FSC Product Labelling Guide. An example is shown below:



Carbon Balanced Paper logo

The Carbon Balanced Paper logo can be used on publications printed on Regency Gloss stock sheets. Should you wish to use the logo, or for more information, contact carbonbalanced@hspg.com. An example of the logo is shown below:



www.carbonbalancedpaper.com

Range specifications:

	SRA3	SRA3 SG	SRA2	B2	12pp A4		SRA1		B1	REELS	
	320x450	450x320	450x640	480x650	520x720	640x650	630x880	640x900	660x920	720x1020	880
90g/m ²			○				●	●		●	▲
100g/m ²			○				●	●		●	▲
115g/m ²	■		○	●	○	■	●	●	●	●	▲
130g/m ²	■		○	●	○	■	●	●	●	●	▲
150g/m ²	■		○	●	○	■	●	●	■	●	▲
170g/m ²	■		○	●	○	●	●	●	●	●	△
200g/m ²		■	○	●	○	■	●	●	●	●	
220g/m ²			○		■			●		●	
250g/m ²		■	○	●	○	●	■	●	●	●	
270g/m ²			○	●	○			●		●	
300g/m ²		■	○	■	○	■		●		●	
350g/m ²		■	○		○			●		●	

- Available ream wrapped and bulk packed on standard pallets
- Available ream wrapped and bulk packed on flexi-pallets
- Available ream wrapped only
- ▲ Available from stock for next day delivery
- △ Available within 5-7 working days

Product information continued overleaf...

Packaging specifications:

	SRA3	SRA3 SG	SRA2	B2	12pp A4	SRA1	B1			
	320x450	450x320	450x640	480x650	520x720	640x650	630x880	640x900	660x920	720x1020
90g/m ²			500 / 28k				500 / 14k	250 / 14k		250 / 11k
100g/m ²			500 / 24k				250 / 12k	250 / 12k		250 / 10k
115g/m ²	500		500 / 22k	500 / 18k	500 / 16k	250	250 / 11k	250 / 11k	250 / 10k	250 / 8k
130g/m ²	500		500 / 18k	500 / 16k	250 / 14k	250	250 / 9k	250 / 9k	250 / 9k	250 / 7k
150g/m ²	500		250 / 16k	500 / 14k	250 / 12k	250	250 / 8k	250 / 8k	250	250 / 6k
170g/m ²	500		250 / 14k	250 / 13k	250 / 11k	250 / 7k	250 / 7k	250 / 7k	250 / 6.5k	125 / 5k
200g/m ²		250	250 / 12k	250 / 10k	250 / 9.5k	125	125 / 6k	125 / 6k	125 / 5.5k	125 / 5k
220g/m ²			250 / 11k		200			125 / 5k		100 / 4.4k
250g/m ²		250	250 / 10k	250 / 9k	250 / 7.5k	125 / 4.5k	125	125 / 5k	125 / 4.5k	125 / 4k
270g/m ²			250 / 8.5k	250 / 8k	250 / 7k			125 / 4.5k		125 / 3.5k
300g/m ²		250	250 / 8k	250	125 / 6k	125		125 / 4k		125 / 3k
350g/m ²		250	125 / 7k		125 / 5.5k			125 / 3.5k		125/2.75k

Quantity shown = ream wrapped / bulk packed

Technical specifications:

	Bulk	Caliper	Opacity	Brightness	Whiteness CIE	Gloss
		ISO534	ISO2471	Tappi 525	ISO11475	Tappi 480
	cm ³ /g	MIC (±7%)	% (±2)	index (±3)	index (±3)	% (±5)
90g/m ²	0.74	67	92.0	92	118	72
100g/m ²	0.73	73	93.5	92	118	72
115g/m ²	0.73	84	94.5	92	118	72
130g/m ²	0.76	99	95.5	92	118	75
150g/m ²	0.73	109	97.0	92	118	75
170g/m ²	0.74	125	-	92	118	75
200g/m ²	0.75	150	-	92	118	75
220g/m ²	0.77	170	-	92	118	75
250g/m ²	0.76	191	-	92	118	75
270g/m ²	0.80	215	-	92	118	75
300g/m ²	0.79	238	-	92	118	75
350g/m ²	0.83	291	-	92	118	75