

Sovereign Silk

There are two grades, Gloss and Silk, and both come in weights to be reckoned with – all the way up to 400g/m². The print quality of Sovereign is just as assured. Its ultra-smooth and even surface gives extra sharpness to images. Even the way it is delivered onto the press is elegant: the Flexi-Pallets available for some weights allow stacks to be delivered right up to the edge of the press and fed continuously, direct from the pallet.

You'll notice some clear improvements in our latest version of Sovereign Silk. Reproduction levels and print gloss have both improved, and noticeably better ink setting and drying means minimal ink rub. Like Sovereign Gloss, its still available in a wide range of weights, each with the smoothness and subtle sheen you've come to expect. Sovereign Silk adds authority to any corporate communication.

Product features and benefits:



Forest Stewardship Council® certified



Manufactured to the international environmental standard, ISO 14001



Pallets set at optimum heights to suit most in-feed systems



Delivered on flexi-pallets as standard, saving preparation time and money



Available in reels for CutStar applications

Associated value based services:



MySize; a reel-to-sheet service for bespoke sheet sizes and quantities in excess of two tonnes



Bulk packed only; the supply of customer specified quantities of paper, subject to agreement



Assured availability; an attainable service agreement ensuring key product lines will always be in stock

Associated qualities:

Sovereign Gloss

Environmental statements:

When printing on Sovereign Silk, you may wish to include a combination of the following environmental statements on your work. Sovereign Silk :

- contains material sourced from responsibly managed forests, **certified in accordance with the FSC (Forest Stewardship Council)***
- is manufactured to ISO 14001 and EMAS (Eco-Management & Audit Scheme) international standards, minimising negative impacts on the environment

* Omit bold copy if your company or printer is not FSC certified

FSC logo usage guidelines:

The FSC logo can be used on publications printed on Sovereign Silk. Should your company or printer have certification to the standard, you should use FSC MIX logo from the FSC Product Labelling Guide. An example is shown below:



Product information continued overleaf...

Range specifications:

	SRA2	B2	SRA1		B1
	450x640	520x720	630x880	640x900	720x1020
90g/m ²	○		●	●	●
100g/m ²	○	○	●	●	●
115g/m ²	○	○	●	●	●
130g/m ²	○	○	●	●	●
150g/m ²	○	○	●	●	●
170g/m ²	○	○	●	●	●
200g/m ²	○	○		●	●
250g/m ²	○	○	●	●	●
300g/m ²	○	○	●	●	●
350g/m ²	○	○		●	●
400g/m ²	○	■		●	●

- Available ream wrapped and bulk packed on standard pallets
- Available ream wrapped and bulk packed on flexi-pallets
- Available ream wrapped only

For CutStar availability please contact your Regional Sales Centre for more information.

Packaging specifications:

	SRA2	B2	SRA1		B1
	450x640	520x720	630x880	640x900	720x1020
90g/m ²	500 / 28k		500 / 14k	500 / 13k	250 / 10.5k
100g/m ²	500 / 25k	500 / 19k	250 / 12.5k	250 / 12.5k	250 / 10k
115g/m ²	500 / 22k	500 / 17k	250 / 10.5k	250 / 10.5k	250 / 8.5k
130g/m ²	500 / 18k	250 / 14k	250 / 8.5k	250 / 9k	250 / 7.5k
150g/m ²	250 / 15k	250 / 13k	250 / 8k	125 / 8k	125 / 6.5k
170g/m ²	250 / 15k	250 / 11k	250 / 7k	125 / 7k	125 / 6k
200g/m ²	200 / 12k	200 / 8.8k		100 / 6k	100 / 5k
250g/m ²	200 / 8k	200 / 8k	100 / 4.2k	100 / 4.5k	100 / 4k
300g/m ²	200 / 6k	200 / 6k	100 / 3.6k	100 / 3.5k	100 / 3.4k
350g/m ²	200 / 6k	200 / 5.6k		100 / 3k	100 / 2.8k
400g/m ²	100 / 5.2k	100		100 / 2.7k	100 / 2.3k

Quantity shown = ream wrapped / bulk packed

Product information continued overleaf...

Technical specifications:

	Bulk	Caliper	Opacity	Brightness	Smoothness
		ISO534	ISO2471	ISO2470	ISO8791-4
	cm ³ /g	MIC	%	(D65) %	µm
90g/m ²	0.82	74	91.0	100	1.7
100g/m ²	0.82	82	92.5	100	1.7
115g/m ²	0.83	95	94.5	100	1.7
130g/m ²	0.82	107	95.0	100	1.4
150g/m ²	0.83	125	96.5	100	1.4
170g/m ²	0.85	145	97.5	100	1.4
200g/m ²	0.88	176	98.0	100	1.4
250g/m ²	0.90	225	98.5	100	1.4
300g/m ²	0.94	282	99.0	100	1.4
350g/m ²	0.99	347	99.5	100	1.6
400g/m ²	1.03	412	99.5	100	1.8